FDA COMPLIANT | ISO 13485 | ASME/PVHO - 1 APPROVED | US DOD APPROVED | HE Alth Canada Approved | EC Approved | US NAVY | US Army | US Airforce | US Special Ops | US coastguard | NASA | NOAA | Aeromedical evacuation | Hoi

G KUNG FIRE & RE US DOD APPROVE MY | US AIRFORCE AL EVACUATION | E/PVHO - 1 APPRO OVED | IIS NAVY | A

- 1



Hyperbaric Stretchers & Treatment Systems

Meeting the most stringent requirements for both diving and medical use in civilian, emergency and military hotspots around the world WWW.hyperlite.co.uk When it comes to non-metallic portable chambers, you will find there is no other unit that covers the full range of oxygen therapies AND carries the approvals and certification that meet the worlds highest standards

# WHAT'S NEWP

### **SAVING STORAGE**

The new Hyperlite System now packs away into just one large case 27 x 27 x 25 in (67 x 67 x 64 cm) with two smaller briefcases - the control box and the small items case.

### **INCREASED PRESSURE RATING**

The system has an increased pressure rating so that it can now operate ALL oxygen therapy tables up to 18,000ft (5500m) above sea level.

### **SAVING WEIGHT**

The system now weighs 1/3 less than the previous model. The overall packed weight has been reduced by some 80lb (36kg) and the pressure vessel itself by 33lb (15kg).

### **A MODEL FOR YOUR NEEDS**

With four different models to choose from, our sales team can advise you which will suit your specific requirements best. There is also a large variety of optional items that can be incorporated, to make it ideal for your needs. Call us today or send an email via our website for our specialist advice.

### **PATIENT MONITORING OPTIONS**

With full patient monitoring of EKG, Pulse Oximetry and Temperature, the fixed wire or Bluetooth technology allows for real time data to be transmitted to a doctor anywhere in the world.

### EASY MOVING

The large case has a mobility kit with 4 removable wheels that can be fitted in seconds, allowing the cases to be pulled around with a single pull strap over smooth surfaces.





Left: New Pelican Cases. Above: Mobility Kit

### **INNOVATIVE TUBE TECHNOLOGY**

The new tube incorporates new polymer fibre braiding technology making it stronger, harder wearing, lighter and much easier to pack.





Above: Reinforced Braided Tube Left: The Vitalink patient monitoring unit by Telemedic Systems.

## THE NEW SOS HYPERLITE HYPERBARIC STRETCHER

The new Hyperlite is truly innovative, quick deployment, first aid medical equipment. The product of newly developied technology, manufactured using modern high performance fibre materials to their best advantage.

Like a hyperbaric chamber, it provides 100% oxygen on demand through a BIBS mask or hood, when pressurised with air and is suitable for use anywhere from diving sites, remote locations, war zones, medical centres, and 'on the move' in aircraft, helicopters, boats, submarines, ambulances or other road vehicles.

The overriding advantage of the Hyperlite is its lightness, ability to fold and versatility; a very significant benefit where inaccesability, inclement conditions and/or other dangers may be present at an accident site. Treatment starts right there, with final resolution likely to be some way away, where specialist hands-on medical support is available.



### WIDE RANGE OF APPLICATIONS. **WIDE RANGE OF CUSTOMERS**

**Applications Include:** 

- Decompression Sickness/Altitude Sickness
- Air Embolism
- Carbon Monoxide Poisoning
- Hazmat/Chemical & Biological Exposure
- Battlefield Medicine
- Aeromedical Evacuation

**Customers Include:** 

- US Navy, Army, Airforce, Special Operations.
- US Coastguard
- NASA NOAA
- Hong Kong Fire Department

Hyperlite in helicopter on NATO mission



Superyachts also have Hyperlites on board for diving related injuries at sea.



Hyperlites are widely used for treatment of diving injuries

### **TRANSFER UNDER PRESSURE**

The Hyperlite is also a Transfer Under Pressure (TUP) capsule for moving a casualty that requires high levels of oxygen, or where being subjected to ambient pressure may be life threatening, such as in submarine rescue.

The versatility of the Hyperlite offers the capability of full oxygen treatment up to an altitude of 18,000 ft (5500 mtrs) without compromise.

### **DECOMPRESSION SICKNESS & AIR EMBOLISM**

Diving is a dangerous sport, especially when the limitations of depth and time are not strictly adhered to. For those that get into

difficulties, the presence of a hyperbaric chamber close by is a rarity!

The perfect solution is the presence of a Hyperlite for immediate recompression delivering hyperbaric oxygen at above ambient pressures

Not only is full relief from the trauma achieved, but early treatment leads to timely full resolution of the sickness.

With the Hyperlite being both small and light in weight, treatment can

continue during transportation to a larger chamber or medical facility.

Where this is not possible, the full therapy can be achieved on site.

The new Hyperlite System is 33% lighter and a packed volume 48% smaller than

the previous model.





#### Please note that some of the information below will vary with different models

MODEL NO: 23/88/SOSH/75	Imperial	Metric	
Length	88.5 inches	224.5 cm	
Diameter	23.5 inches	59.5 cm	
Window Thickness	1.0 inch	2.54 cm	
Bladder Thickness	0.05 inches	1.2 mm	
Pressure Vessel Weight	110 lb	50 kg	
Pressure Vessel Volume	20 cubic ft	570 litres	
Max. Allowable Working Pressure	75 fsw – 33.5 psig	23 msw – 2.3barg	
Production Test Pressure	114 fsw – 50 psig	34.5 msw – 3.45 barg	
Prototype Test Pressure Achieved	453 fsw – 201 psig	138 msw – 13.8 barg	
Gauges – Bourdon Dual Scale Absolute	0 – 90 fsw	0 - 30 msw	

MATERIALS			
BRAID	Vectran ™ Liquid Crystal Polymer Fibre		
BLADDER	Polyether Polyurethane coated Nylon woven Fabric		
PROTECTIVE COVER	Polyurethane coated Polyester woven Fabric		
END WINDOWS	Clear Acrylic Plastic in Nylon 6 Protection Rings		

CASES	NO	DIMS IN INCHES	DIMS IN CMS	WEIGHT LB	WEIGHT KG
MAIN	1	27 X 27 X 25	68 X 68 X 64	180	82
CONTROL	2	19 X 14 X 7	47 X 36 X 18	25	12
ANC. PARTS	3	19 X 14 X 7	47 X 36 X 18	14	6
TOTALS		12.7 CUBIC FT	0.36 M³	229	100

#### **BUILD STANDARDS**

ASME PVHO-1 (2007) & Case 12 | U.S. NAVY DIVING & MANNED HYPERBARIC SYSTEMS SAFETY CERTIFICATION | LLOYD'S REGISTER EMEA | SGS UK LTD SYSTEMS & SERVICES CERTIFICATION | ISO 13485:2003 | DIRECTIVE 93/42/EEC FOR MEDICAL DEVICES | HEALTH CANADA & FDA COMPLIANT

#### **USEFUL INFORMATION**

NATO PRODUCT NUMBER - NATO NSN 4220-99-888-7210 | US DOD NSN STOCK NUMBER -NSN 6515-01-541-3147 | INT. HARM. CUSTOMS TARIFF - 9019-20-00-00 | DUNS CODE NO. -211217835 | CAGE CODE NO – U04L4 | WARRANTY - 1 YR. FAULTY MATERIALS &/or WORKMANSHIP

#### HYPERLITE UPGRADE AVAILABLE

Please note that existing owners of SOS Hyperlites are able to upgrade their present units to incorporate the new braided technology tube in place of the filament wound para-aramid fibre/silicone tube originally supplied. Full information is available on request and is highly recommended. Please note that the life of the tubes is ten years, but the window assemblies etc. may be extended to up to twenty years. This upgrade can only be carried out at a recognised service facility.



Tel: +44 (0) 845 263 8155 Fax: +44 (0) 870 838 1103 Email: <u>info@hyperlite.co.uk</u> Web: <u>www.hyperlite.co.uk</u>

#### SOS HYPERLITE LTD

Heritage House, Ramsey Road, Peel, IM5 1RH British Isles