


DIVATOR

THE COMPLETE DIVING SYSTEM



INTERSPIRO PRODUCT CATALOG

© 2013 Interspiro AB, Sweden.

This publication contains or refers to proprietary information which is protected by copyright.

All rights are reserved. Interspiro® and DIVATOR® are registered trademarks of Interspiro.

This publication may not be copied, photocopied, reproduced, translated, or converted to any electronic or machine-readable form in whole or in part without prior written approval from Interspiro.

Changes or updates to this publication may be made without prior notice.

INTERSPIRO DIVING

A tragic bus accident in Sweden after the Second World War raised the concern that divers could not be quickly deployed to the crash site. The Swedish government asked Interspiro ("AGA" at that time) if they could provide a rapid deployment diving device for search and rescue operations.

Interspiro began an extensive research program and in 1948 the Worlds first underwater breathing apparatus for search and rescue was presented to the Swedish authorities.

The device, commonly referred to as the "iron bed" (because of the shape of the carrying frame), featured a breathing valve with inhalation and exhalation in the same diaphragm. The first of many Interspiro innovations in the field of diving.

Today, 60 years later, the latest generation of Interspiro SCUBA – DIVATOR – is still the preferred choice for professional divers around the World.

The Interspiro diving philosophy is a system approach. The reason is simple and obvious, to obtain the highest possible safety level for professional divers.



CONTENT

DIVATOR FULL FACE MASK & BREATHING VALVE	4
DIVATOR Full Face Mask & Breathing Valve	5
DIVATOR Breathing Valve	6
DIVATOR HUD (Heads-Up Display)	6
Full Face Mask Accessories	7
DIVATOR REGULATOR.....	8
DIVATOR MKII Regulator	9
DIVATOR MKIII Regulator	10
DIVATOR CYLINDER.....	12
DIVATOR LITE Composite Cylinders	13
DIVATOR LITE Cylinder Weights	14
DIVATOR Steel Cylinders	15
DIVATOR CARRYING SYSTEM	16
DIVATOR BCW	17
BC Accessories	18
DIVATOR Weight System	19
DIVATOR Harness	20
DIVATOR DP1 SURFACE SUPPLY.....	22
DIVATOR DP1	23
DP1 Accessories	24
IBSOPHONE.....	25
Ibsophone	25
ACCESSORIES	26
Hoses & Accessories	26
Filling Accessories, Caps & Plugs	27
SERVICE & SUPPORT	28
Service and Maintenance	28
Service Kits	28
Notes	29
Product information	31

DIVATOR FULL FACE MASK & BREATHING VALVE

The DIVATOR Full Face Mask is the Worlds most sold full face mask for diving. But why do so many professional divers prefer to use the DIVATOR Full Face Mask?

The answer to that question may lie in these key features:

- The balanced DIVATOR breathing valve is one of the best-tested breathing valves available. It will perform even in the most extreme of conditions: mud, oil, and fast flowing cold currents does not have a serious impact on the performance.
- The low volume visor reduce the positive buoyancy generated from air inside the mask. Low volume "dead space" reduces re-inhalation of CO₂.
- The DIVATOR Full Face Mask is very easy to drain from water filling, simply press one button and hold the lower part of the face mask out from the face.
- The mask is equipped with retainers spectacle inserts and it is prepared for underwater communication. The communication capabilities are enhanced by the airflow design that considerably reduces turbulence noise.



DIVATOR FULL FACE MASK & BREATHING VALVE

The DIVATOR Full Face Mask consists of a balanced breathing valve with high air flow capacity and low breathing resistance. The DIVATOR Breathing Valve is available without safety pressure, and with safety pressure for diving in contaminated water.

Specially-designed visor gives divers excellent field of vision while reducing positive buoyancy. The full face mask can be equipped with the DIVATOR Heads-Up Display (HUD) low air warning and the DIVATOR Hatch, an ambient breathing valve enabling divers to keep the face mask donned while on stand-by.

The Full Face Mask is available in two material versions; natural rubber or silicone. Depending on chosen mask material, the mask is available in three different colors all masks are with black fittings.

Full Face Mask with Breathing Valve

Part No.	Description
96319-01	Yellow silicone mask without safety pressure
96319-02	Yellow silicone mask with safety pressure
96319-03	Gray natural rubber mask without safety pressure
96319-04	Gray natural rubber mask with safety pressure
96319-05	Black silicone mask without safety pressure
96319-06	Black silicone mask with safety pressure
96319-10	Black natural rubber mask without safety pressure
96319-11	Black natural rubber mask with safety pressure

Full Face Mask without Breathing Valve

Part No.	Description
336190901	Yellow silicone mask
336190852	Gray natural rubber mask
336101161	Black silicone mask
97771-01	Black natural rubber mask

Full Face Mask with Hatch and Breathing Valve

Part No.	Description
96319-14	Yellow silicone mask without safety pressure
96319-15	Yellow silicone mask with safety pressure
96319-12	Gray natural rubber mask without safety pressure
96319-13	Gray natural rubber mask with safety pressure
96319-16	Black silicone mask without safety pressure
96319-17	Black silicone mask with safety pressure
96319-20	Black natural rubber mask without safety pressure
96319-21	Black natural rubber mask with safety pressure

Full Face Mask with Hatch, without Breathing Valve

Part No.	Description
97265-02	Yellow silicone mask
97265-01	Gray natural rubber mask
97265-03	Black silicone mask
97265-05	Black natural rubber mask

Mask Visor with Hatch

Part No.	Description
96962-01	Visor with mounted hatch For upgrade of the full face mask



DIVATOR BREATHING VALVE



DIVATOR Breathing Valve for Full Face Mask

Part No.	Description
336101149	Black with safety pressure
336101150	Black without safety pressure

DIVATOR Octopus Breathing Valve

Part No.	Description
97199-02	Complete Octopus breathing valve, with yellow shield ring and locking lever, without safety pressure.

DIVATOR Breathing Valve with Mouthpiece

The breathing valve with mouthpiece is suited for autonomous diving.

Part No.	Description
97199-01	Black breathing valve, without safety pressure

DIVATOR Mouthpiece

Part No.	Description
336190353	Complete mouthpiece kit, for conversion of breathing valve, without safety pressure

DIVATOR HUD (HEADS-UP DISPLAY)

The DIVATOR HUD is a warning light for low cylinder pressure, that significantly improves diving safety. There are two versions available of the DIVATOR HUD; one with a warning level of 55 bar (800 psi) and one with a warning level of 80 bar (1160 psi). The 80 bar (1160 psi) version will give the user a warning before the breathing resistance warning is activated. The DIVATOR HUD is equipped with a universal 7/16 inch connection which will fit to most standard diving regulators on the market. With the connection kit (A) a HUD can be mounted on any DIVATOR regulator.



DIVATOR HUD with 55 bar/800 psi Warning Level

Part No.	Description
89100-01	With 1.75 meter (68") cable (For MOD)
89100-02	With 2.95 meter (116") cable (For MK III)
89100-03	With 1.45 meter (57") cable (For 820-860 mm hose)
89100-04	With 1.2 meter (47") cable (For MK II)

DIVATOR HUD 80 bar/1160 psi Warning Level

Part No.	Description
89100-11	With 1.75 meter (68") cable (For MOD)
89100-12	With 2.95 meter (116") cable (For MK III)
89100-13	With 1.45 meter (57") cable (For 820-860 mm hose)
89100-14	With 1.2 meter (47") cable (For MK II)

DIVATOR HUD Connectors

Part No.	Description	Item
97193-51	HUD connection kit for DIVATOR regulators	A
89140-01	High pressure connection 7/16 adjustable For connecting a HUD between a standard pressure gauge and it's high pressure hose	B

HUD Cable Covers for MKIII

Part No.	Description	Item
32103-52	Cover for Breathing hose 730 mm (29")	C
32103-53	Cover for Pressure gauge 780 mm (31")	C
32103-54	Cover for Reg. breathing hose 1020 mm (40")	C

FULL FACE MASK ACCESSORIES

DIVATOR Mask Visor Weights

The DIVATOR Mask Visor Weights can be attached to the DIVATOR Full Face Mask in order to compensate the mask's buoyancy. When diving for prolonged periods of time, using visor weights is recommended practice. Can not be used together with a hatch.

Part No.	Description
336190854	Mask visor weights, pair (2 x 350 gram)



DIVATOR Mask Cover

Front cover lid for the DIVATOR Full Face Mask.

Part No.	Description
460190555	Black cover



DIVATOR Spectacle Kit

The DIVATOR Spectacle Kit makes it possible to mount prescription lenses inside the DIVATOR Full Face Mask.

Part No.	Description
96496-51	Spectacle insert kit (lenses not included)



DIVATOR Pressure Equalizing Pad

Part No.	Description
88542-51	Pressure equalizing pad, four slots, EPDM rubber



DIVATOR Head Harness

The head harness is made in one piece of natural rubber.

Part No.	Description
460190457	Head harness, black natural rubber

Accessory Rail System

With the accessory rail system you can easily attach accessories like the Interspiro welding visor frame, Divelight, video head or any type of lamp to your Divator full face mask.

Part No.	Description
30 582-51	Rail holder (for left or right mounting on FFM)
30 584-51	Universal Mount (includes two sizes of hoseclamps)
32 315-51	Slide Mount (for Divelight)
32 316-51	Divelight (needs 2 x AA/LR batteries, not included)
30 581-51	Welding Visor* (Welding glass DIN 7 included)
30 118-51	Auto-darkening glass (3-10 DIN)


* Two rail holders (P/N 30 582-51) is needed to mount the welding visor.



Rail Holder



Divelight



DIVATOR REGULATOR

Interspiro's MKII and MKIII regulators have extremely high flow capacity. Their design ensures that the intermediate pressure leading to the breathing valve is stable and is not affected by pressure variations in the air supply or the depth of the dive. Both regulators have convenient air supply connections for buoyancy compensating jacket, dry suit and DIVATOR Octopus breathing valve.

MKII Regulator

- Chest mounted reserve valve and surface supply connection
- Approved for use in cold waters
- The function of the reserve valve can be checked pre-dive
- The reserve valve is self-resetting at pressures above 100 bar (1450 psi)
- Quick connection for external air source such as DP1 surface supply
- "Bail out" function is available as optional feature

MKIII Regulator

- Dual first stage regulators integrated in one unit, giving the diver several options to handle problematic situations
- Designed to give the diver at least two breathing sources, two inflation sources and two ways to isolate air loss
- Safe transition into reserve air mode with "Pull for air"-solution
- Primary regulator can be closed by "Push" maneuver
- DP1 surface supply inlet port
- Integrated "Bail out" function
- Outlets for connection of BC, dry suit and Octopus



DIVATOR MKII REGULATOR

DIVATOR MKII is designed to endure extreme temperatures and is proven by years of trouble free use by professional divers from the arctic to the equator. The easy-to-read pressure gauge and the regulator are approved for use in cold waters.

The MKII can easily be upgraded to a variety of configurations, for instance with a Octopus breathing valve or a dry suit hose. The DIVATOR MKII regulator is ready for use with the DIVATOR DP1 Surface Supply. All regulators are delivered with breathing hose.

DIVATOR MKII Regulator (Bar)

The basic MKII regulator version, equipped with a Bar pressure gauge and one low pressure outlet.

Part No.	Description
336191075	MKII Regulator
336190377	MKII Regulator with reserve valve
96727	MKII Regulator with bail out valve Only for surface supply diving with the DP1



MKII reserve valve
(336190377)



MKII bail out valve
(96727)

DIVATOR MKII Regulator (Bar, 4-port swivel)

Bar version of the MKII regulator, equipped with a 4-port swivel with four low pressure outlets.

Part No.	Description
99083-05	MKII Regulator with 4-port swivel and reserve valve
99083-06	MKII Regulator with 4-port swivel, reserve valve and 55 bar HUD
99083-07	MKII Regulator with 4-port swivel and bail out valve
99083-08	MKII Regulator with 4-port swivel, bail out valve and 55 bar HUD
99083-09	MKII Regulator with 4-port swivel



4-port swivel



MKII Regulator
with 4-port swivel,
reserve valve and
HUD

DIVATOR MKII Regulator (Psi, 4-port swivel)

The Psi version of the MKII regulator, equipped with a 4-port swivel with four low pressure outlets.

Part No.	Description
99083-01	MKII Regulator with 4-port swivel and reserve valve
99083-02	MKII Regulator with 4-port swivel, reserve valve and 55 bar HUD
99083-03	MKII Regulator with 4-port swivel and bail out valve
99083-04	MKII Regulator with 4-port swivel, bail out valve and 55 bar HUD
99083-11	MKII Regulator with 4-port swivel

Holders & Straps for DIVATOR MKII

Part No.	Description	Item
30824-51	DIVATOR MKII reserve holder strap	A



DIVATOR MKIII REGULATOR

The DIVATOR MKIII Regulator is a unique design with dual first stage regulators integrated into one unit. Therefore it becomes redundant and has an easy-to-use transition between reserve air or bail-out mode with a "Pull for air"-solution. The MKIII Regulator is equipped with a surface supply inlet port for the DP1.

All MKIII Regulators are supplied with: primary breathing hose, Octopus hose and Octopus breathing valve. In addition the MKIII Regulator can be delivered with or without BC and dry suit hoses.



MKIII Regulator
(30026-01)

DIVATOR MKIII Regulator (Bar)

The Bar version of the MKIII regulator.

Part No.	Description
30026-01	MKIII Regulator with BC hose and dry suit hose (Length of dry suit hose: 0.75 meter / 2.5 ft)
30026-02	MKIII Regulator, plugged (without hoses)
30026-03	MKIII Regulator with BC hose and dry suit hose (Length of dry suit hose: 1 meter / 3.3 ft)



MKIII regulator mounted
on cylinder pack with
easy fill.

DIVATOR MKIII Regulator (Psi)

The Psi version of the MKIII regulator.

Part No.	Description
30026-06	MKIII Regulator with BC hose and dry suit hose (Length of dry suit hose: 0.75 meter / 2.5 ft)
30026-07	MKIII Regulator, plugged (without hoses)
30026-08	MKIII Regulator with BC hose and dry suit hose (Length of dry suit hose: 1 meter / 3.3 ft)

Holders & Straps for DIVATOR MKIII

Part No.	Description	Item
99099-51	Holder strap, with hose loop	A
88139-52	Holder cord with hook	B



(A)



(B)

DIVATOR MKIII REGULATOR

The MKIII Regulator is designed with dual first stage regulators integrated in one unit.

Safe and easy to use transition into reserve air or bail-out mode with "Pull for air"-solution.

The MKIII is equipped with a surface supply inlet port for the DP1.



INTERSPIRO

DIVATOR CYLINDER


DIVATOR LITE

- Lightest diving cylinders in the world out of water
- Perfectly balanced under water
- Low profile allows for safer access to confined spaces and minimizes resistance in current waters
- Quick cylinder attachment interface to harness or BC
- Removable compensating weight between the cylinders
- The regulator position simplifies cylinder valve handling and the carrying handle protects the regulator
- The first composite cylinder approved by US Department of Transportation (DOT) for underwater use in the United States

DIVATOR Steel

- Robust design suitable for demanding environments
- Perfectly balanced under water
- Low profile allows for safer access to confined spaces and minimizes resistance in current waters
- Quick cylinder attachment interface to harness or BC
- The regulator position simplifies cylinder valve handling and the carrying handle protects the regulator

Cylinder identification, example:



DIVATOR LITE COMPOSITE CYLINDERS

Interspiro's DIVATOR LITE, is the first complete professional diving system designed specifically for the search and rescue diver. The DIVATOR LITE Cylinder System combines an ultra lightweight non-metal composite cylinder with a balanced and adjustable weight system. This cylinder system dramatically increases the diver's safety and comfort.

The DIVATOR LITE Cylinder System provides new benefits for the professional users above and below the surface.

DIVATOR LITE Cylinders - PED & CE Approved

Part No.	Description	Item
98853-01	Cylinder pack 323.4 (2040 L / 72 ft³)	A
98855-01*	Cylinder pack 325 (3000 L / 106 ft³)	B
98857-01	Cylinder pack 326.7 (4020 L / 142 ft³)	C
98857-04	Cylinder pack 326.7 with Easy-fill connection, for filling cylinder with a mounted regulator	D

DIVATOR LITE Cylinders - DOT Approved

Part No.	Description	Item
98853-02	Cylinder pack 323.4	A
98857-02	Cylinder pack 326.7	C
98857-05	Cylinder pack 326.7 with Easy-fill connection, for filling cylinder with a mounted regulator	D

DIVATOR LITE Cylinders - Non-magnetic

For applications like suit inflation, etc. (300 L / 10 ft³)

Part No.	Description	Item
88410-901*	1 liter 300 bar NM composite cylinder, Right	E
88410-905*	1 liter 300 bar NM composite cylinder, Left	F

*On request, Minimum Order Quantity may be applicable

Pre-delivery cylinder filling

NOTE! Cylinders are by default delivered without air (only with safety pressure). For delivery of filled cylinders add this item (same quantity as the quantity of cylinders).

Part No.	Description
32300-01	Pre-delivery cylinder filling



Easy-fill connection



DIVATOR LITE CYLINDER WEIGHTS

The DIVATOR LITE cylinder weights can easily be attached to a cylinder pack in seconds. This increases the readiness of the diver and reduces back strain in the often extreme surface conditions, such as sand, mud or ice.

DIVATOR LITE Cylinder Weights

Part No.	Description	Item
97520-11	13.8 kg weight for 326.7 cylinder pack	A
97520-12	11.4 kg weight for 325 or 326.7 cylinder pack	B
97520-13	9.3 kg weight for 323.4 cylinder pack	C



(A)



(B)



(C)

Cylinder Weights Accessories

Part No.	Description	Item
97869-51	Weight substitute for 325 or 326.7 cylinder pack	D
97869-52	Weight substitute for 323.4 cylinder pack	E
88199-51	Handle protection kit for 5 cylinder weights For mounting on older cylinder weights without handle protection, or as spare part.	F



(D)



(E)



(F)

DIVATOR STEEL CYLINDERS

The DIVATOR steel cylinders all have a very low profile and no protruding parts, which reduces the risk of getting caught in obstacles and ensures less water resistance. The cylinder design is robust and suitable for diving in demanding environments.

DIVATOR steel cylinder packs and single cylinders all have an easily accessible cylinder valve and are equipped with a quick connect interface to DIVATOR harness or BCW.

DIVATOR Steel Cylinders

Part No.	Description	Item
98412-02	Cylinder pack 324 PED (2400 L / 85 ft³)	A
98411-02	Cylinder pack 326 PED (3600 L / 127 ft³)	B
98411-03	Cylinder pack 326 with Easy-fill connection, for filling cylinder with a mounted regulator	C
98445-01	Single cylinder 316 (1800 L / 63 ft³)	D

Pre-delivery cylinder filling

NOTE! Cylinders are by default delivered without air (only with safety pressure). For delivery of filled cylinders add this item (same quantity as the quantity of cylinders).

Part No.	Description
32300-01	Pre-delivery cylinder filling



DIVATOR CARRYING SYSTEM

DIVATOR BCW

- Well integrated interface to the DIVATOR System
- 19 kg/44 lbs/180 N lift capacity with standard bladder, other bladder capacities available
- Available in four sizes, and equipped with fully adjustable shoulder and waist panels
- Integrated weight release system
- Heavily reinforced construction with 1050 denier ballistic nylon
- Quick cylinder attachment interface



DIVATOR Harness

- Super elastic material in the back plate that makes it virtually unbreakable, even in low temperatures
- Lockable and adjustable belt buckles with quick release function
- Ribbed back plate that keeps the diving apparatus close to the diver
- Ergonomic design for best weight distribution of the cylinder pack
- Provides low profile with no parts sticking out.



DIVATOR BCW

The DIVATOR BCW is a buoyancy compensating vest of the wing type that combines high quality heavy duty construction, weight integration, and rear wing style buoyancy. The DIVATOR BCW's modular construction allows the transition between rugged dry suit and thin wet suit diving.

Constructed of heavily reinforced 1050 denier ballistic nylon, the DIVATOR BCW is compatible with a variety of options and accessories, including bladder, pockets and custom gear attachment components.

DIVATOR BCW

The DIVATOR BCW comes in four sizes and can be complemented with an inflation cylinder kit for added rescue ability.



Part No.	Description
99095-01	Size Small (S)
99095-02	Size Medium (M)
99095-03	Size Large (L)
99095-04	Size Extra-Large (XL)
99095-11	Size Small, with inflation cylinder kit
99095-12	Size Medium, with inflation cylinder kit
99095-13	Size Large, with inflation cylinder kit
99095-14	Size Extra-Large, with inflation cylinder kit



Sizing Chart

Indicative measurements for size to be taken with diving suit donned.

SIZE	MEASUREMENTS
SMALL (S)	Waist (W): 64-89 cm / 25-35 inch Shoulder to waist (S): 36-46 cm / 14-18 inch
MEDIUM (M)	Waist (W): 84-104 cm / 33-41 inch Shoulder to waist (S): 46-56 cm / 18-22 inch
LARGE (L)	Waist (W): 94-114 cm / 37-45 inch Shoulder to waist (S): 56-66 cm / 22-26 inch
EXTRA-LARGE (XL)	Waist (W): 107-127 cm / 42-50 inch Shoulder to waist (S): 66-74 cm / 26-29 inch



The DIVATOR BCW is equipped with a fully integrated weight release system.

Two sizes of specially designed Mesh Weight Pouches are available. They can hold any type of buoyancy compensating weights.

The smaller mesh pouch is perfect for use with Interspiro's standard brass weights (450 g/1 lbs) and the larger mesh pouch is suitable for the Weight Holder Kit with room for 9 brass weights.

BC ACCESSORIES

Part No.	Description	Item
30047-01	Mesh Weight Pouch ~8 kg (18 lbs) for BCW Suitable for weight holder kit, or standard weights	A
30048-01	Mesh Weight Pouch ~5 kg (12 lbs) for BCW For standard diving weights	B
30045-01	Lumbar Pad, for added back comfort for BCW	C
30046-51	Saddle Strap (crotch strap) securing the BC from moving up	D
30049-01	Spare Air Pouch, suitable for one 0.35 liter 300 bar cylinder	E
30050-01	Pony Bottle Pouch, for ~1 liter (6 cu/ft) 200/300 bar pony bottle	F
30147-01	Zip Mount Adapter, pair (left & right). For attachment of spare air or pony bottle pouch	G
99543-51	Rip-cord assembly for BCW	H
460190923	BC Velcro holders (pair, left & right)	I
336100572	Strap separator, for upgrade of older BCW's	J



DIVATOR WEIGHT SYSTEM

The System Weight is Interspiro's multi-purpose environmentally friendly brass weight that can be used for a wide range of applications.

DIVATOR System Weight

Part No.	Description
88174-51	Weight, 450 gram (1 lbs)
88174-951	Weight, 450 gram (1 lbs), non-magnetic



System Weights

DIVATOR Chest Weight Pocket

The Chest Weight Pocket can also be used as a belt weight pocket.

Part No.	Description
88135-01	Chest weight pocket without weights
88175-51	Chest weight pocket with two weights
88135-951	Chest weight pocket without weights, non-magnetic
88175-951	Chest weight pocket with two weights, non-magnetic



Chest Weight Pocket

DIVATOR Weight Holder Kit

The Weight Holder Kit is designed for use with a BC.

Part No.	Description
88350-51	Weight holder kit for BC without weights
30057-51	Weight holder kit for BC with 9 weights
88350-951	Weight holder kit for BC without weights, non-magnetic
30057-951	Weight holder kit for BC with 9 weights, non-magnetic




Weight Holder Kit

DIVATOR Leg Weight Pocket

Part No.	Description
460190863	Leg weight pocket without weights
88194-51	Leg weight pocket with 5 weights
30251-951	Leg weight pocket without weights, non-magnetic
88194-951	Leg weight pocket with 5 weights, non-magnetic



Leg Weight Pocket



The Chest Weight Pocket is easy to attach to the DIVATOR BCW.

It can be placed on the left and right shoulder strap – or it can be used as a weight belt pocket.

There is room for two of Interspiro's standard System Weights inside the pocket.

DIVATOR HARNESS

The DIVATOR Harness is ergonomically designed and takes the weight load from the cylinder pack off the shoulders and spreads the weight evenly out on the divers back. The belt coupling has a quick release function and is self centering which makes the belt coupling easy to find. It is easy to mount and dismount the cylinder pack to the harness. It requires no tools.

DIVATOR Harness

Part No.	Description	Item
336190977	For 140 - 183 mm cylinder diameter	A
336190976	For 100 - 140 mm cylinder diameter	
30650-01	Harness Pro, with stainless steel D-rings, Velcro straps and bungee cords	B
97430-02	With stainless steel adjustment buckles on shoulder straps and waist belt	C
336190839	Single cylinder mounting kit for 140 - 183 mm diameter	D
336190837	Single cylinder mounting kit for 100 - 140 mm diameter	D




(A)



(B)



(C)



(D)

DIVATOR – THE COMPLETE DIVING SYSTEM

Professional divers around the world know that they can trust in Interspiro products. Unrivalled in quality and construction, Interspiro's DIVATOR system offers a high level of safety in all types of demanding environments and under even the toughest of conditions.



INTERSPIRO

DIVATOR DP1 SURFACE SUPPLY

The DIVATOR DP1 surface supply hose provides a truly light weight and portable surface supply. The DP1 provide full cylinder pressure to the diver at depth.

By providing cylinder air pressure to the diver, the supply hose is equipped with a regulator at the diver's end that automatically compensates the secondary pressure for depth variations, thereby eliminating the need for adjustment of the dive panel by the surface attendant.

The supply hose is also approved in accordance with requirements for lifelines and can therefore act as a safety lifeline.



DIVATOR DP1

The DIVATOR DP1 is a unique system with a supply hose that provides a truly light weight and portable surface supply. The DP1 provide full cylinder pressure to the diver at depth. DP1 is designed for use with the MKII and MKIII regulators.

The supply hose itself is very strong but lightweight. At only 10 mm (0.39 inch) in diameter, 60 meters (200 feet) of hose weighs less than 5 kilos (11 lbs) resulting in less storage space, lower carry weight and far less drag in swift water. The supply hose is also approved in accordance with requirements for lifelines and can therefore act as a safety lifeline.

DP1 Surface Panel

Complete surface panel box, including belt, vent handle and "OPEN" tag.

Part No.	Description
96710-51	DP1 Surface Panel, with Bar pressure gauge
96710-53	DP1 Surface Panel, with Psi pressure gauge

DP1 Supply Hoses

The DP1 Supply Hose is available in a variety of lengths. All supply hoses are equipped with a P+regulator.

Part No.	Description
96725-01	60 meter hose (200 ft)
96725-02	70 meter hose (230 ft)
96725-03	30 meter hose (98 ft)
96725-04	120 meter hose (394 ft)
96725-05	10 meter hose (33 ft)
96725-06	90 meter hose (295 ft)
96725-07	80 meter hose (266 ft)
96725-08	230 feet hose (70 m) with communication cable (without connectors) and sleeve
96725-09	98 feet hose (30 m) with communication cable (without connectors) and sleeve
96725-10	200 feet hose (60 m) with communication cable (without connectors) and sleeve



Supply hose with communication cable and protective sleeve

DP1 Hose Winding Frame

Part No.	Description	Item
336950317	Holdall for DP1 hose with winding posts. Fits up to a 60 meter DP1 hose.	A
96745-12	Hose Winding Frame, light-weight with rubber fastening straps (fits in transportation box 30798-01,-02)	B



DP1 ACCESSORIES

DP1 T-connection

For connection of two divers, to one Surface Panel.

Part No.	Description	Item
30030-51	Straight T-connection	A

DP1 Second Diver Take-out

For connection of two divers to one DP1 Surface Panel.

Part No.	Description
30102-01	Second diver take-out kit, including straight T-connection, vent handle, carabiner hook, safety belt and holder strap with hook.

DP1 Accessories

Part No.	Description	Item
97373-51	Vent, pressure relief and protective handle Male IS connection	B
97335-51	"OPEN" tag, for marking open cylinder	C
336921843	Carabiner hook, stainless steel 316	D
96741-51	Safety belt	E
88139-51	Holder strap with hook	F

Transport Boxes

Part No.	Description	Item
30977-01	For DIVATOR diving equipment with interior for one 323,4 and one 326,7 and additional space for regulator, FFM, BC etc.	G
30798-01	DP1 Transportation box for < 70 meter DP1 hose, with interior and space for surface box or one cylinder pack.	G
30798-02	DP1 Transportation box for > 70 meter DP1 hose, without interior but space for surface box.	H
97445-51	Ibsophone MTIII Transport Box holds one set of 336300072 with storage space for spare batteries.	I



(A)




(B)



(C)



(D)



(E)



(F)



(I)



(H)



(G)

IBSOPHONE

IBSOPHONE

The Interspiro Ibsophone tethered under water communication system provides for excellent voice communication between the divers and the surface attendant. The Ibsophone contributes to a high degree of diver safety and also improves his underwater work. When connectors are removed from the amplifier the unit is switched off. Uses six standard 1,5 Volt C Baby/LR14/AM2 batteries for power.

Ibsophone MTIII - for One or Two Divers

Part No.	Description
336300072	Ibsophone MTIII - For two divers* includes 1 x (A, B), 2 x (C, D), 2 x female E

*Lifeline or cable not included

Options and Accessories MTIII

Part No.	Description	Item
336300071	Amplifier (batteries not included)	A
30518-51	Headset tender, Light	B
336290955	Microphone diver, to Divator full face mask	C
336290957	Bone conductor diver, yellow	D
336921848	Subconn "Red Ring" - pair (1x Male, 1x Female)	E
30524-01	Bone conductor diver, deep diving over 60 m, red	F
336290952	Headset tender, Peltor	G

Life Lines Floating to MTIII

Part No.	Description	Item
30526-01	Lifeline, floating, PP,*12,5 mm, complete, 50 meter	H
30526-02	Lifeline, floating, PP, 12,5 mm, complete, 60 meter	H
30526-03	Lifeline, floating, PP, 12,5 mm, complete, 80 meter	H
30526-04	Lifeline, floating, PP, 12,5 mm, complete, 120 meter	H

Life Lines Neutral to MTIII

Part No.	Description	Item
30527-01	Lifeline, neutral, PP, 10,5 mm, complete, 50 meter	H
30527-02	Lifeline, neutral, PP, 10,5 mm, complete, 60 meter	H
30527-03	Lifeline, neutral, PP, 10,5 mm, complete, 80 meter	H
30527-04	Lifeline, neutral, PP, 10,5 mm, complete, 120 meter	H

*PP= Poly Propylene

Communication Cable to MTIII

Only to be used together and wound on a DP1 Surface Supply Hose

Part No.	Description	Item
30528-01	Communication cable, 40 meter for DP1 30 meter	I
30528-02	Communication cable, 70 meter for DP1 60 meter	I
30528-03	Communication cable, 80 meter for DP1 70 meter	I
30528-04	Communication cable, 90 meter for DP1 80 meter	I
30528-05	Communication cable, 130 meter for DP1 120 meter	I
30528-06	Communication cable, 100 meter for DP1 90 meter	I




ACCESSORIES

HOSES & ACCESSORIES

Please note that the products listed in this section are a selection of hoses and accessories that Interspiro can supply. Please contact your local Interspiro representative for assistance.


Breathing Hoses & Connections

Part No.	Description	Item
460190560	Breathing hose, 750 mm (29") standard	A
88119-51	90 degree breathing hose connection with swivel function	B
336190389	Breathing hose UNF 3/8, 725 mm (28"), US	E



Dry Suit Inflation Hoses

Part No.	Description	Item
97474-51	Cejn 221 – G 1/8 locked, 550 mm (21")	C
97474-61	Cejn 221 – G 1/8 unlocked, 550 mm (21")	C
97474-52	Cejn 221 – G 1/8 locked, 750 mm (29")	C
97474-62	Cejn 221 – G 1/8 unlocked, 750 mm (29")	C
97474-53	Cejn 221 – UNF 3/8 locked, 750 mm (29")	C
97474-63	Cejn 221 – UNF 3/8 unlocked, 750 mm (29")	C
97474-54	Cejn 221 – UNF 3/8 locked, 1 meter (39")	C
97474-64	Cejn 221 – UNF 3/8 unlocked, 1 meter (39")	C



Unlocked: The lock ring is unlocked and can be screwed towards the connector. This will lock the hose to the dry suit. Securing it from being removed during the dive.


Locked: The lock ring is locked and can not be screwed towards the connector. Use when there is a need to disconnect the hose from the dry suit during a dive.

BC Inflation Hoses

Part No.	Description	Item
336291131	BC inflation hose UNF 3/8, 1.15 meter (45")	F

BC Inflation Cylinder

Part No.	Description	Item
30146-01	Aluminium cylinder, 0.35 liter 300 bar (4350 psi) (Not DOT approved)	D



Octopus or Breathing Hoses

Part No.	Description	Item
99007-51	Octopus hose UNF 3/8, 1.7 meter (70")	E
99007-52	Octopus hose UNF 3/8, 1.13 meter (44")	E
99007-53	Octopus hose UNF 3/8, 1 meter (39")	E
99618-51	Octopus hose UNF 3/8, 0.827 meter (32")	E
88198-61	Octopus hose G 1/8, 1.1 meter (43")	E
460190360	Octopus hose G 1/8, 1.35 meter (53")	E





Octopus Holders

Part No.	Description	Item
88115-51	Octopus holder clip (5 pack)	G
30643-51	Octopus hose holder kit, for harness or BC (pair)	H
30780-01	Octopus mouthpiece holder kit (incl. Velcro strap)	I



FILLING ACCESSORIES, CAPS & PLUGS

The products listed in this section are a selection of hoses and accessories that Interspiro can supply. Please contact your local Interspiro representative for further information.



Swivels, Adapters & Connections

Connectors mainly suited for MKII regulator

Part No.	Description	Item
98884-51	Swivel twin outlet G 1/8 male – 2 x UNF 3/8	A
336190348	Swivel single outlet G 1/8 male – G 1/8 female	B
30051-01	Swivel single outlet G 1/8 male – UNF 3/8 female	C
460190716	Adapter G 1/8 male – UNF 3/8 female	D
30182-51	Adapter G 1/8 female – 3/8 UNF male	E

Filling Accessories

Part No.	Description	Item
331190627	Air filling hose 300 > 200 Bar, DIN 5/8	F
99404-03	Air filling hose 300 > 300 Bar, DIN 5/8	F
99369-01	Filling restrictor adapter, 90 degree angle	G
99804-01	Control gauge, with Bar scale, DIN 5/8	H
99804-02	Control gauge, with Psi scale, DIN 5/8	H
460190770	Discharge plug (DIN) Controlled, will leave 2 bar (29 psi) safety pressure	I

Protective Caps

Part No.	Description	Item
336190257	Plastic protective cap R 5/8 (yellow), 3 pack	J
31391-51	Dust cover, small, Ø 10-12mm, 10 pack	K
31392-51	Dust cover, large, Ø 22-26mm, 10 pack	L
95198-51	Protective plug R 5/8, brass	M
460190077	5 pack of protective plug No. 95198-51	-

Plugs

Part No.	Description	Item
460190220	Cylinder valve plug G 5/8	O
97192-51	Blind plug 7/16"	P
460190755	Plug hex socket head UNF 3/8, 2 pack	Q
460190418	Plug hex head G 1/8	R
336200721	Plug hex head UNF 3/8	R

Compounds

Part No.	Description	Item
460200058	Krytox GPL-205, oxygen compatible 57g (2oz)	S
331900268	Lubricant for high pressure cylinder valves	T
331900269	Silicone lubricant, for low pressure applications	U

Test Equipment

Part No.	Description	Item
336190128	Mini Test	V

SERVICE & SUPPORT

SERVICE AND MAINTENANCE

A Breathing Apparatus from Interspiro is an investment with a long service life provided it is properly maintained. Interspiro offers several service options to ensure optimal fit with your organization. A combination of these solutions can be offered to best correspond to your needs. All service options are not available on all markets.

SERVICE COURSES

The service courses trains service technicians to perform maintenance and repairs within your organization. After attending the service course, a personal service card is issued for each individual together with a comprehensive documentation package.

SEND US YOUR EQUIPMENT

Products can be sent to Interspiro for maintenance by Interspiro service personnel at our facilities.

INTERSPIRO STATION SERVICE

Interspiro service personnel can perform service work at your location.

FULLY MANAGED SERVICE

Fully managed service at a fixed yearly cost where Interspiro handles all maintenance work.

SERVICE KITS

To simplify service and to obtain maximum product performance the Interspiro Service kits should be used. These kits are available for all system products and contain all spare parts necessary to perform preventive maintenance.

A certified service technician can identify and order these service kits using the spare parts list and can perform all preventative maintenance at your location.

Refer to www.interspiro.com for the latest version of spare part lists.



NOTES

[illegible]

YOUR LOCAL CONTACT

NOTES


[illegible]

YOUR LOCAL CONTACT

PRODUCT INFORMATION

You can get more information about our products from your local dealer or download from www.interspiro.com.

PRODUCT LEAFLETS



DIVATOR Folder
30 228



DIVATOR Lite
98 608



DIVATOR Mask
99 453



DIVATOR HUD
98 601



**DIVATOR Access-
sory Rail System**
31 989



DIVATOR Hatch
98 604



DIVATOR MKII
99 452



DIVATOR MKIII
30 118



**DIVATOR Lite
Cylinders**
98 607



**DIVATOR Steel
Cylinders**
99 455



DIVATOR BCW
99 451



DIVATOR Harness
99 454



DIVATOR DP1
97 053

Interspiro has 90 years of experience as a groundbreaking innovator of respiratory protection for non-breathable environments. Interspiro is a supplier of respiratory protection to defense military organizations, fire and rescue services, industries, utilities, shipping and diving companies around the world. Interspiro is an Ocenco Group company. Ocenco ranks among the world's largest respiratory protection companies.

INTERSPIRO

www.interspiro.com

CENTRAL EUROPE

AUSTRIA

INTERSPIRO GesmbH www.interspiro.de

Feldbacher Str. 3 A-8200 GLEISDORF AUSTRIA

TEL +43 (0)311 236 133 FAX +43 (0)311 236 133 22 E-MAIL info@interspiro.at

GERMANY

INTERSPIRO GmbH www.interspiro.de

Postfach 1220 D-76691 FORST/BADEN GERMANY

TEL +49 (0)7251 8030 FAX +49 (0)7251 2298 E-MAIL info@interspiro.de

SWITZERLAND

INTERSPIRO AG www.interspiro.de

Güterstraße 47 CH-4133 PRATTELN SWITZERLAND

TEL +41 61 827 99 77 FAX +41 61 827 99 70 E-MAIL info@interspiro.ch

THE NETHERLANDS & BELGIUM

INTERSPIRO BV www.interspiro.nl

Operetteweg 35 NL-1323 VK ALMERE NETHERLANDS

TEL +31 (0)36 5363103 FAX +31 (0)36 5384809 E-MAIL info@interspiro.com

NORTH & SOUTH AMERICA

INTERSPIRO Inc. www.interspiro.com

10225 82nd Avenue PLEASANT PRAIRIE WI 53158-5801 USA

TEL +1 262 947 9901 FAX +1 262 947 9902 E-MAIL sales@interspiro.com

UNITED KINGDOM & IRELAND

INTERSPIRO Ltd. www.interspiro.com

7 Hawksworth Road Central Park TELFORD Shropshire TF2 9TU UNITED KINGDOM

TEL +44 (0)1952 200 190 FAX +44 (0)1952 299 805 E-MAIL info@interspiro.com

SCANDINAVIA, ASIA/PACIFIC & MIDDLE EAST

SWEDEN

NORDIC & EXPORT SALES DIVISION www.interspiro.com

Box 2853 S-187 28 TÄBY SWEDEN

TEL +46 8 636 51 00 FAX +46 8 636 51 99 E-MAIL info@interspiro.com

MALAYSIA

INTERSPIRO Sdn Bhd www.interspiro.com

NO: 14-A Jalan Tiara 3, Tiara Square, Taman Perindustrian Sime UEP,

47600 Subang Jaya, Selangor MALAYSIA

TEL +603-802 482 21 FAX +603-808 182 21 E-MAIL asiapacific@interspiro.com